



imex



SmartLinkTM

Technology for swimming pools of the New Era







What is SmartLink™ ?

SmartLink™ is a system that uses special adhesion material to ensure that the glass mosaics are strong and firm, greatly reducing the risk of fall offs.


Why use... SmartLink™



Adherence



**100%
Grout Area**



Durable

Adherence

Due to the increased open area on the back and with the small connecting points between each mosaic tile.

SmartLink™ helps with the adhesion between the mosaic and tile adhesive, making the installation firm and strong.





SmartLink™ without glue stains and increased open area

100% Grout Area


Means SmartLink™ does not invade any part of the joint.

The grout area is 100% free of any obstruction and it is the perfect condition when installing the glass mosaics.















Durable


Because of the special joint material SmartLink™ connecting all the mosaic tiles. It is also resistant to all weather conditions, including wetness and ultraviolet rays.



SmartLink™ can be submerged in water as it is totally water resistant

SmartLink™ Comparison

	SmartLink™	Nylon Net	Paper Mount	Dot Mounting
Joint Material				
Open space on the back				
Open space on the side				
Strength of joint material	★★★★★	★★★★☆☆	★★★☆☆☆	★★★★★☆☆
Resistance of joint material against weather	★★★★★	★★★★☆☆	★★★☆☆☆	★★★★★☆☆
Speed of installation	★★★★★	★★★★☆☆	★★★☆☆☆	★★★★★☆☆
No realignment of joint space	★★★★★	★★★★☆☆	★★★☆☆☆	★★★★★
Durability after installation	★★★★★	★★★★☆☆	★★★★★☆☆	★★★★★





imex

IMEX INTERNATIONAL CO.,LTD. (HEAD OFFICE)
 134 - 135 Rim - Khlongprapa Rd.Bangsue Bangkok 10800 Thailand
 Tel : +66(0) 2910 - 4827 - 9 Fax : +66(0) 2910 - 4154 - 5

VIP CALL SERVICE
 0-2910-5900



Material ConneXion

